

Wall of Light Assembly


When assembling you'll notice that most pieces should have two stickers to label it, one on each end. On one end the rod may say A-5 and the other would say B-3. You'll also notice that multiple pieces will have matching stickers. The key is to match those stickers together and assemble accordingly. Example pictures #1-3 will show close up shots of this. Each matching sticker will be put together to construct the Wall of Light. Each cover is attached with Velcro. Three will come in total; outer cover, inner diffuser cover and outer cover. Three will come in total; outer cover, inner diffuser cover and outer cover.

Tools needed will be two hands and the included hex key. A small ladder is recommended to put the cover over the box.

The Wall of Light should be built from the base up. Build base, attach wheels and work your way up.




Step 1 – The base




Step 2 – The base with first four bars attached



Step 3 – The base and first layer attached with light mount



Step 4 – Front shot of Set03



Step 5 – Base with layer A and four bars attached



Step 6 – Base with layers A and B attached. A and B contain the light mounts



Step 7 – Base with layers A, B and four bars attached for the top



Step 8 – The top put together




Step 9 – Wall of Light assembled with top mounted



Step 10 – Wall of Light with cover on



Step 11 – Wall of Light with inner diffuser mounted. Inner diffuser mounts to the Velcro within the cover



Step 12 – Complete Wall of Light with outer cover on

